



Work Order Bid (ID)

WORK ORDER INFORMATION

Work Order Name: WO/1003564/1

Work Order Type: Weatherization

Audit Name: 1002053

CLIENT INFORMATION

Client ID: 1003564

Alt. Client ID: C1003648SA101

County: Washington

AGENCY INFORMATION

Agency: Upper East Tennessee Human
Development Agency

Address: 301 Louis Street
Kingsport TN 37662

Agency Phone: 1-423-246-6180

Agency Fax:

Email Address: sdawes@uethda.org

Company Name & License Number: _____

Contractor's Signature: _____

COMMENT

1088 SQUARE FOOT SINGLE WIDE MOBILE HOME MANUFACTURED IN 1984.
ALL WORK TO BE DONE IN ACCORDANCE WITH THE TENNESSEE STANDARD WORK SPECIFICATIONS
AS ADOPTED BY THE TENNESSEE HOUSING DEVELOPMENT AGENCY.
SQUARE
CONTRACTOR IS RESPONSIBLE TO VERIFY DIMENSIONS AND SCOPE OF WORK PRIOR TO BID.

SURVEY ON 1/3/2020 BY RON CARLISLE (423) 736-0678
INITIAL BLOWER DOOR 2101@-50
POST WORK TARGET 1088@-50 MUST BE REACHED OR EXCEEDED

Located in Fall Branch, TN
Washington County

Measure 1 Seal Ducts

Components

Inspected

Comment SHOP-VAC DUCTS-USE MASTIC OR APPROPRIATE MATERIAL TO SEAL THE DUCT-WORK AS PER THE THDA SWS THE OBJECTIVE IS TO REDUCE THE PRESSURE PAN READINGS TO LESS THAN 1 OR AS TIGHT AS POSSIBLE.
 PRESSURE PAN READINGS:
 RETURN @ THE UNIT
 LIVING ROOM 20.5
 KITCHEN 18.5
 BEDROOM 14.6
 BEDROOM 23.4
 BATH ROOM 13.6
 BATH ROOM 18.3

#	Material/Labour	Description/Comment	Unit	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	Duct sealing (setup cost)	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Miscellaneous Supplies	Duct Sealing	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Other Detail									
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Measure Sub Total						<input type="text"/>	Sub Total		<input type="text"/>

Field Notes:

Measure 2 General Air Sealing

Components

Inspected

Comment Initial Blower Door Reading: 2101@-50
 Post Work Target of 1088 @-50 Must Be Met or Exceeded
 Suggested Best Practice of Air Infiltration Reduction is to use two-part foam and appropriate materials to seal the penetrations and openings in the Sub-floor (accessible in the crawl space) and in the ceilings (accessible in the attic).
 If applicable- rake back existing insulation and use two-part foam to seal the top plates of the walls. Use Rigid Foam Board and two-part foam to close and seal openings and penetrations of soffits, chases, and duct perimeters.

#	Material/Labour	Description/Comment	Unit	Qty	Estimated		Actual			
					Unit Cost	Total	Qty	Unit Cost	Total	
1	Insulation	General air sealing (setup cost)	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
2	Miscellaneous Supplies	Infiltration Reduction	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
Other Detail										
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
Measure Sub Total						<input type="text"/>	Sub Total			<input type="text"/>

Field Notes:

Measure 3 DWH Tank Insulation

Components

Inspected

Comment AS PER THE TN SWS- Wrap the 40 Gallon Electric Water Heater With R-10 or Better Insulation. Secure with Tape and Zip Ties.

#	Material/Labour	Description/Comment	Unit	Qty	Estimated		Actual			
					Unit Cost	Total	Qty	Unit Cost	Total	
1	Insulation	DWH Tank Insulation	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
2	Labor	DWH Tank Insulation	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
Other Detail										
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
Measure Sub Total						<input type="text"/>	Sub Total			<input type="text"/>

Field Notes:

Measure 4 DWH Pipe Insulation

Components

Inspected

Comment INSULATE THE FIRST 6 FEET OF HOT AND COLD-WATER PIPE OUT OF THE WATER HEATER AS PER THE TN SWS

#	Material/Labour	Description/Comment	Unit	Estimated			Actual		
				Qty	Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	DWH Pipe Insulation	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	DWH Pipe Insulation	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Other Detail									
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Measure Sub Total						<input type="text"/>	Sub Total		<input type="text"/>

Field Notes:

Measure 5 Glass Storm Windows

Components WD1

Inspected

Comment THE OBJECTIVE OF THIS MEASURE IS TO PROVIDE TWO OPERABLE GLASS WINDOW PANES,- INNER STORM WINDOW AND OUTER MAIN WINDOW WITH FRAME SEALED TO PREVENT WATER INTRUSION.- THIS MAY BE ACHIEVED BY REPLACING BROKEN GLASS OR MAY REQUIRE A NEW WINDOW FRAME WITH GLASS, (DEPENDING ON THE CONDITION OF EACH WINDOW). EITHER IS ACCEPTABLE IF THE OBJECTIVE IS ACHIEVED.

#	Material/Labour	Description/Comment	Unit	Estimated			Actual		
				Qty	Unit Cost	Total	Qty	Unit Cost	Total
1	Labor	Glass storm windows	SqFt	11.88	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Other	Glass storm windows	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
3	Windows	Glass storm windows	SqFt	11.88	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Other Detail									
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Measure Sub Total						<input type="text"/>	Sub Total		<input type="text"/>

Field Notes:

Measure 6 Glass Storm Windows

Components WD5

Inspected

Comment THE OBJECTIVE OF THIS MEASURE IS TO PROVIDE TWO OPERABLE GLASS WINDOW PANES,- INNER STORM WINDOW AND OUTER MAIN WINDOW WITH FRAME SEALED TO PREVENT WATER INTRUSION.- THIS MAY BE ACHIEVED BY REPLACING BROKEN GLASS OR MAY REQUIRE A NEW WINDOW FRAME WITH GLASS, (DEPENDING ON THE CONDITION OF EACH WINDOW). EITHER IS ACCEPTABLE IF THE OBJECTIVE IS ACHIEVED.

#	Material/Labour	Description/Comment	Unit	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Labor	Glass storm windows	SqFt	11.88	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Other	Glass storm windows	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
3	Windows	Glass storm windows	SqFt	11.88	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total **Sub Total**

Field Notes:

Measure 7 Glass Storm Windows

Components WD7

Inspected

Comment THE OBJECTIVE OF THIS MEASURE IS TO PROVIDE TWO OPERABLE GLASS WINDOW PANES,- INNER STORM WINDOW AND OUTER MAIN WINDOW WITH FRAME SEALED TO PREVENT WATER INTRUSION.- THIS MAY BE ACHIEVED BY REPLACING BROKEN GLASS OR MAY REQUIRE A NEW WINDOW FRAME WITH GLASS, (DEPENDING ON THE CONDITION OF EACH WINDOW). EITHER IS ACCEPTABLE IF THE OBJECTIVE IS ACHIEVED.

#	Material/Labour	Description/Comment	Unit	Qty	Estimated		Actual			
					Unit Cost	Total	Qty	Unit Cost	Total	
1	Labor	Glass storm windows	SqFt	11.88	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
2	Other	Glass storm windows	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
3	Windows	Glass storm windows	SqFt	11.88	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
Other Detail										
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
Measure Sub Total						<input type="text"/>	Sub Total			<input type="text"/>

Field Notes:

Measure 8 Glass Storm Windows

Components WD9

Inspected

Comment THE OBJECTIVE OF THIS MEASURE IS TO PROVIDE TWO OPERABLE GLASS WINDOW PANES,- INNER STORM WINDOW AND OUTER MAIN WINDOW WITH FRAME SEALED TO PREVENT WATER INTRUSION.- THIS MAY BE ACHIEVED BY REPLACING BROKEN GLASS OR MAY REQUIRE A NEW WINDOW FRAME WITH GLASS, (DEPENDING ON THE CONDITION OF EACH WINDOW). EITHER IS ACCEPTABLE IF THE OBJECTIVE IS ACHIEVED.

#	Material/Labour	Description/Comment	Unit	Qty	Estimated		Actual			
					Unit Cost	Total	Qty	Unit Cost	Total	
1	Labor	Glass storm windows	SqFt	11.88	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
2	Other	Glass storm windows	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
3	Windows	Glass storm windows	SqFt	11.88	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
Other Detail										
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
Measure Sub Total						<input type="text"/>	Sub Total			<input type="text"/>

Field Notes:

Measure 9 Belly Fiberglass Loose

Components

Inspected

Comment Repair the torn or damaged section of mobile home belly. Product should be belly replacement material designed for mobile home. Product should be installed to manufacturer specifications using materials for installing specific product. Belly replacement material is available from Blevins Mobile Home Products. Install the Belly Membrane as tight as practical and reinforce by mechanically fastening wood strips to the frame.
 Cut openings in the belly membrane to enable Fiberglass insulation to be blown in so that it contacts the sub-floor in between the floor joists. The objective is to fill the belly to capacity with fiberglass insulation.
 Submit an Insulation Certificate with Invoice. Provide the owner with a copy.

#	Material/Labour	Description/Comment	Unit	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	Floor Insulation - Fbergls,Blwn	Bag	23	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Floor Insulation - Fbergls,Blwn	Bag	23	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total **Sub Total**

Field Notes:

Measure 10 Glass Storm Windows

Components WD2

Inspected

Comment THE OBJECTIVE OF THIS MEASURE IS TO PROVIDE TWO OPERABLE GLASS WINDOW PANES,- INNER STORM WINDOW AND OUTER MAIN WINDOW WITH FRAME SEALED TO PREVENT WATER INTRUSION.- THIS MAY BE ACHIEVED BY REPLACING BROKEN GLASS OR MAY REQUIRE A NEW WINDOW FRAME WITH GLASS, (DEPENDING ON THE CONDITION OF EACH WINDOW). EITHER IS ACCEPTABLE IF THE OBJECTIVE IS ACHIEVED.

#	Material/Labour	Description/Comment	Unit	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Labor	Glass storm windows	SqFt	11.88	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Other	Glass storm windows	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
3	Windows	Glass storm windows	SqFt	11.88	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total **Sub Total**

Field Notes:

Measure 11 Glass Storm Windows

Components WD3

Inspected

Comment THE OBJECTIVE OF THIS MEASURE IS TO PROVIDE TWO OPERABLE GLASS WINDOW PANES,- INNER STORM WINDOW AND OUTER MAIN WINDOW WITH FRAME SEALED TO PREVENT WATER INTRUSION.- THIS MAY BE ACHIEVED BY REPLACING BROKEN GLASS OR MAY REQUIRE A NEW WINDOW FRAME WITH GLASS, (DEPENDING ON THE CONDITION OF EACH WINDOW). EITHER IS ACCEPTABLE IF THE OBJECTIVE IS ACHIEVED.

#	Material/Labour	Description/Comment	Unit	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Labor	Glass storm windows	SqFt	11.88	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Other	Glass storm windows	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
3	Windows	Glass storm windows	SqFt	11.88	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total **Sub Total**

Field Notes:

Measure 12 Glass Storm Windows

Components WD4

Inspected

Comment THE OBJECTIVE OF THIS MEASURE IS TO PROVIDE TWO OPERABLE GLASS WINDOW PANES,- INNER STORM WINDOW AND OUTER MAIN WINDOW WITH FRAME SEALED TO PREVENT WATER INTRUSION.- THIS MAY BE ACHIEVED BY REPLACING BROKEN GLASS OR MAY REQUIRE A NEW WINDOW FRAME WITH GLASS, (DEPENDING ON THE CONDITION OF EACH WINDOW). EITHER IS ACCEPTABLE IF THE OBJECTIVE IS ACHIEVED.

#	Material/Labour	Description/Comment	Unit	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Labor	Glass storm windows	SqFt	11.88					
2	Other	Glass storm windows	Each	1					
3	Windows	Glass storm windows	SqFt	11.88					

Other Detail

Measure Sub Total **Sub Total**

Field Notes:

Measure 13 CO Monitor is Needed

Components

Inspected

Comment INSTALL A CO MONITOR AS PER THE TN SWS

#	Material/Labour	Description/Comment	Unit	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety Items	CO monitor	Each	1					
2	Labor	Labor	Each	1					

Other Detail

Measure Sub Total **Sub Total**

Field Notes:

Measure 14 Fix Improper Venting (Clothes Dryer)

Components

Inspected

Comment VENT THE CLOTHES DRYER AS PER THE TN SWS- INSULATE IN THE PIPE IN UNCONDITIONED SPACES

#	Material/Labour	Description/Comment	Unit	Estimated			Actual		
				Qty	Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety Items	Equipment	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total **Sub Total**

Field Notes:

Measure 15 Fix Not Operational Bathroom Exhaust Fan

Components

Inspected

Comment INSTALL/REPLACE BATH FAN WITH A NEW TWO SPEED ASHRAE COMPLIANT FAN. SET TO 40 CFM CONTINUOUS. VENT TO THE OUTSIDE WITH A TRIM KIT AS PER THE TN SWS.

*****INSTALL A 6' VENT PIPE TO ENSURE PROPER VENTILATION*****

#	Material/Labour	Description/Comment	Unit	Estimated			Actual		
				Qty	Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety Items	Equipment	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Hour	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total **Sub Total**

Field Notes:

Measure 16 Fix Other Water Heating Problem

Components

Inspected

Comment INSTALL A JUNCTION BOX OVER THE ELECTRICAL CONNECTION AT THE WATER HEATER

#	Material/Labour	Description/Comment	Unit	Estimated			Actual		
				Qty	Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety Items	Equipment	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Hour	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total **Sub Total**

Field Notes:

Measure 17 PressureRelief Piping Needed

Components

Inspected

Comment INSTALL A PRESSURE RELIEF PIPE EXTENSION AS PER THE TN SWS-

#	Material/Labour	Description/Comment	Unit	Estimated			Actual		
				Qty	Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety Items	Pressure relief piping	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total **Sub Total**

Field Notes:

Measure 18 Smoke Detector is Needed

Components

Inspected

Comment INSTALL SMOKE DETECTORS IN ALL BEDROOMS AND COMMON AREA (HALLWAY)

#	Material/Labour	Description/Comment	Unit	Qty	Estimated		Actual			
					Unit Cost	Total	Qty	Unit Cost	Total	
1	Health and Safety Items	Smoke detector	Each	4	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
2	Labor	Labor	Each	4	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
Other Detail										
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	
Measure Sub Total						<input type="text"/>	Sub Total			<input type="text"/>

Field Notes:

Work Ordere Grand Total:	<input type="text"/>	Grand Total:	<input type="text"/>
---------------------------------	----------------------	---------------------	----------------------